

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/044,688	01/11/2002	Kevin W. Haulk	9874.00	9700
26884	7590 05/02/2006		EXAMINER	
PAUL W. MARTIN			NG, CHRISTINE Y	
NCR CORPORATION, LAW DEPT. 1700 S. PATTERSON BLVD.			ART UNIT	PAPER NUMBER
DAYTON,	OH 45479-0001		2616  DATE MAILED: 05/02/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

_				Y			
		Application No.	Applicant(s)	•			
Office Action Summary		10/044,688	HAULK ET AL.				
		Examiner	Art Unit	<del></del>			
		Christine Ng	2616				
5	The MAILING DATE of this communication ap	pears on the cover she	et with the correspondence addre	)SS			
Period fo	• •	\	- 11011711(0) 00 7111077(400)				
WHIC - Exte after - If NC - Faile Any	IORTENED STATUTORY PERIOD FOR REPLICHEVER IS LONGER, FROM THE MAILING Densions of time may be available under the provisions of 37 CFR 1.7 SIX (6) MONTHS from the mailing date of this communication. Depriod for reply is specified above, the maximum statutory period ure to reply within the set or extended period for reply will, by statute reply received by the Office later than three months after the mailing the patent term adjustment. See 37 CFR 1.704(b).	OATE OF THIS COMM 136(a). In no event, however, m will apply and will expire SIX (6) e, cause the application to become	UNICATION. ay a reply be timely filed  MONTHS from the mailing date of this comm ne ABANDONED (35 U.S.C. § 133).	•			
Status							
. 1)🛛	Responsive to communication(s) filed on 11 J	lanuary 2002.					
2a) ☐		s action is non-final.					
3)							
	closed in accordance with the practice under	Ex parte Quayle, 1935	C.D. 11, 453 O.G. 213.				
Disposit	ion of Claims						
4)🖂	Claim(s) 1-16 is/are pending in the application	١.					
	4a) Of the above claim(s) is/are withdrawn from consideration.						
5)	Claim(s) is/are allowed.						
·	Claim(s) <u>1-16</u> is/are rejected.						
7)[	Claim(s) is/are objected to.	ar alastian rasuiraman					
8)[	Claim(s) are subject to restriction and/o	or election requiremen	· ·				
Applicat	ion Papers	•	·				
9)⊠	The specification is objected to by the Examine	er.					
10)⊠	The drawing(s) filed on 11 January 2002 is/are	e: a)⊠ accepted or b)	objected to by the Examiner.				
	Applicant may not request that any objection to the			·			
	Replacement drawing sheet(s) including the correct						
11)	The oath or declaration is objected to by the E	xaminer. Note the atta	ched Office Action of form PTO-	-152.			
Priority	under 35 U.S.C. § 119						
	Acknowledgment is made of a claim for foreign All b) Some * c) None of:  1. Certified copies of the priority documen		•	•			
	2. Certified copies of the priority documen						
	3. Copies of the certified copies of the price application from the International Burea		een received in this National St	age ,			
*	See the attached detailed Office action for a lis	t of the certified copies	not received.				
Attachmei	nt(s)						
1) 🛛 Noti	ce of References Cited (PTO-892)		riew Summary (PTO-413)				
3) 🔲 Info	ce of Draftsperson's Patent Drawing Review (PTO-948) rmation Disclosure Statement(s) (PTO-1449 or PTO/SB/08 er No(s)/Mail Date	-: C	r No(s)/Mail Date e of Informal Patent Application (PTO-19 7:	52)			
	Trademark Office		<del></del>				

Application/Control Number: 10/044,688 Page 2

Art Unit: 2616

#### **DETAILED ACTION**

### Specification

The disclosure is objected to because of the following informalities:
 In the abstract line 2, "electronic price label" should be changed to --electronic shelf label--, in accordance with the specifications page 1 line 5.

Appropriate correction is required.

## Claim Objections

- 2. Claims 1, 10 and 15 are objected to because of the following informalities:
  - a) In claim 1 line 1, "ESL" should be changed to --electronic shelf label (ESL)--.
  - b) In claim 1 line 4, "CBSs" should be change to --communication base stations (CBSs)--.
  - c) In claim 10 line 2, a word is missing between "further for".
  - d) In claim 15 line 1, "ESL" should be changed to --electronic shelf label (ESL)--.
  - e) In claim 15, there are two instances of step (c) in lines 9 and 10.

Appropriate correction is required.

## Claim Rejections - 35 USC § 112

- 3. The following is a quotation of the second paragraph of 35 U.S.C. 112:
  - The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 4. Claims 1, 8, 11 and 15 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Referring to claim 1, it is unclear what response is being received by the CBS or

Art Unit: 2616

CBSs (line 5) since the find message is transmitted by the CBSs (lines 3-4).

Referring to claim 8, it is unclear what response is being received by the CBS or CBSs (line 7) since the find message is transmitted by the CBSs (lines 5-6).

Claim 11 recites the limitation "the CBS manager software" in line 3. There is insufficient antecedent basis for this limitation in the claim.

Referring to claim 15, it is unclear if the "said CBS currently assign to the ESL" (line 8) is in "a first retail location in a retail establishment" (lines 4-5) or "a second location in the retail establishment" (line 5).

## Claim Rejections - 35 USC § 103

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 6. Claims 1-4, 8-11, 15 and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 5,588,043 to Tiedemann Jr. et al in view of U.S. Patent No. 6,570,860 to Hamalainen et al, and in further view of U.S. Publication No. 2004/0165550 to Beach et al.

Referring to claim 1 and 8, Tiedemann Jr. et al disclose in Figure 3 a system comprising:

A mobile station (MS 100) for displaying information.

Art Unit: 2616

A plurality of communication base stations (CBSs) (base stations BSs in cells C1<sub>A</sub>-C1<sub>S</sub> and C2<sub>A</sub>-C2<sub>S</sub>) communicatively connected to a host computer (mobile switching center MSC 40). Refer to Column 8, lines 8-28.

A host computer (MSC 40) for initiating transmission of a find message (page) to the mobile station, said find message transmitted by a plurality of CBSs (BSs in cells C1<sub>A</sub>-C1<sub>S</sub> page MS 100) utilizing all of the timeslots of a frame (when MS 100 is not in slotted mode, paging can be transmitted in all time slots; Column 14, line 66 to Column 15, line 20), and logging which CBS or CBSs received the response (MS 100 sends a response to the page to a receiving BS) and logging the timeslot in which the response was received (each MS is assigned a slot identified by the slot cycle index for data transmission; Column 8, lines 8-13). Refer to Column 8, line 56 to Column 9, line 2; Column 12, lines 20-36; and Column 13, lines 5-19.

Tiedemann Jr. et al do not disclose determining a new CBS assignment and a new timeslot assignment for the mobile station, and transmitting an assign command to the mobile station utilizing the timeslot in which the response was received instructing the mobiles station to listen for messages on the new timeslot.

Hamalainen et al in Figure 1 a system comprising mobile stations MS, base stations BSS, and a mobile switching center MSC. Hamalainen et al further disclose in Figure 8 a handover process between two base stations when a mobile station moves from a BSS(old) to a BSS(new). The MSC determines a new base station assignment BSS(new) and a new timeslot assignment (new time-slot configuration) for the MS. The assign command (Handover Command) is then sent to the MS using the original

Art Unit: 2616

timeslot from BSS(old) instructing the MS to listen for messages on the new timeslot from BSS(new). Refer to Column 7, line 38 to Column 8, line 16. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to include determining a new CBS assignment and a new timeslot assignment for the mobile station, and transmitting an assign command to the mobile station utilizing the timeslot in which the response was received instructing the mobiles station to listen for messages on the new timeslot. One would be motivated to do so in order to assign a new base station and timeslot to a mobile station. Once a mobile station is located in a different cell, it is registered with a new different base station and is given a new time slot configuration for transmission and reception of data.

Tiedemann et al and Hamalainen et al do not disclose that the mobile station is an electronic shelf label (ESL).

Beach et al disclose that systems supporting data communication between a central computer and mobile units is also necessary in applications that support a high volume of data communications from multiple users, such as electronic self labels. Figure 6 discloses a large store with radio data communications using portable terminals or electronic shelf labels with wireless communication. Refer to Sections 0001-0003 and 0043. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to include that the mobile station is an ESL. One would be motivated to do so in order to since electronic shelf labels, like mobile units, also process high data communications.

Art Unit: 2616

Referring to claims 2 and 9, Tiedemann et al disclose in Figure 1 wherein the host computer (MSC 40) updates an ESL data file (database 50) with the new CBS assignment (cell) and new timeslot assignment (mobile station slot cycle index) information. Database 50 contains information about mobile stations (identified by the ID column), including cell location and slot cycle index. Refer to Column 8, lines 8-28.

Referring to claims 3 and 10, Tiedemann Jr. et al do not specifically disclose in Figure 1 wherein the transmission of the find message was initiated as a result of the ESL not responding to a message, and the host computer is further for retransmitting the message to the ESL utilizing the new CBS and the new timeslot. However, as shown in Figure 3, MS 100 moves from cell C1<sub>A</sub> to cell C2<sub>A</sub>. Initially, the base station in cell C1<sub>A</sub> transmits a message to MS 100; MS 100 does not reply since it has moved along dashed line 180 to C2<sub>A</sub>. Then, all base stations in cells C2<sub>A</sub>-C2<sub>S</sub> of coverage area C2<sub>A</sub> transmit the find message to locate the MS100; MS100 replies and the message can be transmitted to MS 100 using the new base station C2<sub>A</sub> and time slot information. Refer to Column 12, line 17 to Column 13, line 19.

Referring to claims 4 and 11, Tiedemann et al do not specifically disclose in Figure 1 wherein the host computer (MSC 40) includes an ESL manager and a CBS manager, wherein the ESL manager sends a command to a CBS manager software module instructing the CBS manager software to transmit the find message. However, since MSC 40 contains a database 50 for storing mobile station cell location information, it must contain a means to manage the mobile station information and base

Art Unit: 2616

station information. The MSC must also have the means to request a find message when it does not have the cell location information for a particular mobile station.

Referring to claim 15, Tiedemann et al disclose in Figure 3 a mobile station update method to allow for mobile station relocation in an establishment including an mobile station system utilizing frame divided into a plurality of timeslots, the method comprising the steps of:

- (b) Transmitting a message to the mobile station by a host computer, said message transmitted by one of a plurality of communication base stations (CBSs) utilizing one of the timeslots of a frame, said CBS currently assigned to the mobile station. As shown in Figure 3, MS 100 is initially assigned to the base station of cell C1<sub>A</sub>, and communicates with the base station of cell C1<sub>A</sub> using its slot cycle index. Refer to Column 8, lines 8-13 and Column 12, lines 17-36.
- (c) Waiting for a response to the message. Since MS 100 has moved along dashed line 180 from cell C1<sub>A</sub> 160 to cell C2<sub>A</sub> 190, MS 100 does not reply since it is not within coverage area C1<sub>A</sub>. Then, all base stations in cells C2<sub>A</sub>-C2<sub>S</sub> of coverage area C2<sub>A</sub> transmit the find message to locate the MS 100. Refer to Column 12, line 55 to Column 13, line 19.
- (c) If no response is received by the host computer, transmitting a find message, said find message transmitted by all of the plurality of CBSs utilizing all of the time slots of a frame. Refer to the rejection of claims 1 and 8.

Art Unit: 2616

(d) Logging which CBS or CBSs received a response to the find message and logging the time slot in which the response to the find message was received. Refer to the rejection of claims 1 and 8.

- (e) Determining a new CBS assignment and a new timeslot assignment for the ESL. Refer to the rejection of claims 1 and 8.
- (f) Transmitting an assign command the ESL utilizing the timeslot in which the response was received instructing the ESL to listen for messages on the new timeslot. Refer to the rejection of claims 1 and 8.

Tiedemann et al do not disclose (a) relocating an ESL and items associated with ESL from a first location in a retail establishment to a second location in the retails establishment.

Beach et al disclose that systems supporting data communication between a central computer and mobile units is also necessary in applications that support a high volume of data communications from multiple users, such as electronic self labels.

Figure 6 discloses a large store with radio data communications using portable terminals or electronic shelf labels with wireless communication. Refer to Sections 0001-0003 and 0043. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to include (a) relocating an ESL and items associated with ESL from a first location in a retail establishment to a second location in the retails establishment. One would be motivated to do so electronic shelf labels operate similarly to mobile stations, and mobile stations move from cell to cell.

Art Unit: 2616

Relocating an ESL and items associated with ESL from a first location to a second location allows for more flexibility.

Referring to claim 16, Tiedemann et al disclose in Figure 3 that the step of relocating the ESL removed from the ESL from within communication range of the currently assigned CBS (base station in cell C1<sub>A</sub>). MS 100 moves along dashed line 180 from coverage area C1<sub>A</sub> 160 to coverage area C2<sub>A</sub> 190. Refer to Column 12, lines 58-63.

7. Claims 5 and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 5,588,043 to Tiedemann Jr. et al in view of U.S. Patent No. 6,570,860 to Hamalainen et al in view of U.S. Publication No. 2004/0165550 to Beach et al in view of U.S. Patent 6,574,211 to Padovani et al, and in further view of U.S. Patent No. 6,188,913 to Fukugawa et al.

Tiedemann et al do not disclose that step (c) further comprises that if the response to the find message is received by more than one CBS, identifying which CBS received the response with the strongest signal strength.

Padovani et al disclose that several base stations send a paging message to a mobile station. Upon decoding the mobile station, and for each time slot until the data transmission in completed, the mobile station measures the C/I of the forward link signals from the base stations and selects the best base station based on a set of parameters. A connection is then established between the base station and the mobile station for data transmission. Refer to Column 4, lines 26-43 and Column 7, lines 18-58. Therefore, it would have been obvious to one of ordinary skill in the art at the

Art Unit: 2616

time the invention was made to include that step (c) further comprises that if the response to the find message is received by more than one CBS, identifying which CBS received the response with the strongest signal strength. One would be motivated to do so in order to associate the mobile station with the base station of highest signal strength.

Tiedemann et al also do not disclose that step (c) further comprises that if the response to the find message is received by more than one CBS, identifying which CBS currently has the least ESL assignments.

Fukugawa et al disclose that when several base stations are sufficiently close to a mobile station, the base station that is currently communicating with smallest number of mobiles stations is chosen to execute communication with that mobile station. Refer to Column 21, line 39 to Column 22, line 13. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to include that step (c) further comprises that if the response to the find message is received by more than one CBS, identifying which CBS currently has the least ESL assignments. One would be motivated to do so in order distribute the load of mobile stations between several base stations so that any one base station is not overwhelmed.

8. Claims 6 and 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 5,588,043 to Tiedemann Jr. et al in view of U.S. Patent No. 6,570,860 to Hamalainen et al in view of U.S. Publication No. 2004/0165550 to Beach et al in view of U.S. Patent 6,574,211 to Padovani et al, and in further view of U.S. Patent No. 6,188,913 to Fukugawa et al. Refer to the rejection of claims 5 and 12.

Application/Control Number: 10/044,688 Page 11

Art Unit: 2616

9. Claims 7 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 5,588,043 to Tiedemann Jr. et al in view of U.S. Patent No. 6,570,860 to Hamalainen et al in view of U.S. Publication No. 2004/0165550 to Beach et al in view of U.S. Patent 6,574,211 to Padovani et al, and in further view of U.S. Patent No. 6,188,913 to Fukugawa et al. Refer to the rejection of claims 5 and 12.

#### Conclusion

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christine Ng whose telephone number is (571) 272-3124. The examiner can normally be reached on M-F; 8:00 am - 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Huy Vu can be reached on (571) 272-3155. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

C. Ng (\sqrt{2})
April 21, 2006

SORY PATENT EXAMINER

TECHNOLOGY CENTER 2600